). REFERANCE :

1. Débora C. Reis, Angel A. Recio Despaigne, Jeferson G. Da Silva, Nayane F. Silva, Camila F. Vilela,Isolda C. Mendes, Jacqueline A. Takahashi and Heloisa Beraldo *Structural Studies and Investigation on the Activity of Imidazole-Derived Thiosemicarbazones and Hydrazones, Molecules **2013**, 18, 12645-12662; doi:10.3390/molecules181012645
2. esko 5,KatariMaciej Serda 1, Anna Mrozek-Wilczkiewicz 1,2, Josef Jampilek 3,4, Matus Pna Kralova 6, Marcela Vejsova 7, Robert Musiol 1,*, Alicja Ratuszna 2 and Jaroslaw Polanski 1Investigation of the Biological Properties of(Hetero)AromaticThiosemicarbazonMolecules 2012, 17, 13483-13502; doi:10.3390/molecules171113483es
3. Mustafa Er,*[a] Yasemin Ünver,[a] Kemal Sancak,[a] and Esra Dügdü Synthesis and characterizations of some new tetra-thiosemicarbazones and their cyclization reactions; tetra-4-methyl-5-etoxycarbonyl-2,3-dihydro-1,3-thiazole and tetra-2-acetylamino-4- acetyl-4,5-dihydro-1,3,4-thiodiazole derivatives ARKIVOC 2008 (xv) 99-120
4. Snehalkumar D. Patila, Rahul D. Kamblea, Shrikant V. Hesea, Ashok P. Achayaa,Bhaskar S. Dawanea*, Jivan R. Koteb and Rajesh N. GachhebSynthesis and antimycobacterial activity of Cu (II) complexes containingthiosemicarbazones ligand Der Pharmacia Sinica, 2013, 4(2):171-175
5. Rakesh M. Tada, Naimish K. Chavda, Pankaj B. Nariya and Manish K. Shah*Synthesis, characterization and antimicrobial study of newly Thiosemicarbazone Der Chemica Sinica, 2013, 4(4):36-42
6. Shobha Sakharam Borhade Synthesis, antibacterial activity of new fatty acid thiosemicarbazide fro linum usitatissimum (linseed) seed oil and it's characterization by X-RD Der Pharmacia Sinica, 2013, 4(4):118-124
7. S. Shahavar Sulthanaa, S. Arul Antonya* and S. Syed Shafib Synthesis of novel thiazolidin-4-one derivatives their antimicrobial an molecular docking studies Der Chemica Sinica, 2014, 5(6):79-89

8. Shruti S. Sarwade*, W.N. Jadhav, B.C. Khade and S.R. Bhusare Synthesis and evaluation of Zn (II) Imiquimod complex Der ChemicaSinica, 2015, 6(2):1-4
9. Mohamed Jawed Ahsana, b,*, Jeyabalan Govinda Samya, Habibullah Khalilullaha and Md Shivli Nomania Semicarbazone analogues: A mini review Der Pharmacia Sinica, 2011, 2 (6):107-113
10. T. Chandrasekaran and M. Syed Ali Padusha Synthesis of Mn(II), Co(II), Cu(II) and Zn(II) complexes with (E)- N'-(pyridine-2-ylmethylene)nicotinohydrazide and their evaluation of antimicrobial activities Der Chemica Sinica, 2014, 5(3):116-123
11. Gilchrist T.L., (1999), Synthesis of Aromatic Heterocycles, J. Chem. Soc., Perkin Trans. 1, 2849-2866.
12. Doan T.N., Dao T.T., (2011), Synthesis, Antioxidant and Antimicrobial Activities of a Novel Series of Chalcones, Pyrazolic Chalcones and Allylic Chalcones, Scintific Research, Pharmacology and Pharmacy, 2, 282-288.
13. Shibata S., (1994), Anti-tumorigenic Chalcones, Stem Cells, AlphaMed Press, 12(1), 44-52.
14. Jamal H., Ansari W.H., Rizvi S.J., (2009), Chalcones: Differential effects on glycogen contents of liver, brain and spinal cord in rats, Toxeminar-1, Biology and Medicine, (2), 107-115.
15. Kolyamshin O.A., Danilov V.A., (2004), N-Aryl-2-dialkylaminosuccinimides, Russian Journal of Organic Chemistry, 40, 982-985.
16. Shetgiri N.P., Nayak B.K., (2005), Synthesis and antimicrobial activity of some succinimides, Indian Journal of Chemistry, 44B, 1933-1936.
17. Michalska D., Morzyk B., Bienko D.C., Wojciechowski W., (2000), Glutarimide: A Carrier Transporting Drug Through Cell Membranes, Medical Hypotheses,54(3), 472–474
18. .Choudhary N.,Alka.,kumar,Arun.,Juyal.Vijay.,(2012),Design, Synthesis andEvaluation of Chalcone Derivatives as Anti-Inflammatory, Antioxidant and AntiulcerAgents, 9(5),479-488
19. Adhikari V.A., Savalgi V.P.and Badiger V.V.,(1998), Synthesized some new 4-aryi aminoisoxazolo [5,4-d] pyrimidine derivatives. Current science., 57,13

20. Solankee Anjani, Patel J.,(2004), Synthesis of chalcones, pyrazolines,amino pyrimidines and pyrimidine thiones as antibacterial agent., Ind J Chem, 43B : 1580-1584.

21. Mahesh R, Perumal RV.,(2004), Microwave – induced Mannich reaction – Synthesis of some Mannich derivatives of p –aminophenol. Indian Journal of Chemistry, 43B,

22. Dhorajiya Bhavesh D., Malani Mahesh H., Patel Jigar R. and Dholakiya Bharat Z.,(2012), Antimicrobial activities of synthesized and characterized 5-acetyl pyrimidine-2, 4, 6-(1H, 3H, 5H)-trione based chalcones., Scholars Research Library,Der pharma chemical, 4(1), 141-146.

23. Jain M., Khan S.I., Tekwani B.L., Jacob M.R., Singh S., Singh P., Jain R., (2005)Synthesis, antimalarial, antileishmanial, and antimicrobial activities of some 8-quinolinamine analogues, Bioorganic & Medicinal Chemistry, 13(14), 4458-4466.

24. Barkhater, J.H. and Teib, R.I.; (1961)Amino- and Chloromethylation of 8-Quinolinol. Mechanism of Preponderant ortho Substitution in Phenols under Mannich Conditions, J.org.chem., 26, 4078..; (1961)Amino- and Chloromethylation of 8- Quinolinol. Mechanism of Preponderant ortho Substitution in Phenols under Mannich Conditions, J.org.chem., 26, 4078.

25. *Devi Anusuya V. S, Reddy Krishna V. (2012); Spectrophotometric Determination of Iron(II) and Cobalt(II) by Direct, Derivative and Simultaneous Methods Using 2-Hydroxy-1-Naphthaldehyde-p-hydroxyl benzoichydrazone International Journal of Analytical Chemistry ,12.*

26. *A. Vogel, Vogel's Textbook of Practical Organic Chemistry,*

27. *John Wiley & Sons, Inc.: Hoboken, NJ, USA, 2007; pp. 72–73*

28. *Abeer A. Alhadi, Shayma A. Shaker, Wagee A. Yehye, Hapipah Mohd Ali, Mahmood A. Abdullah (2012); Synthesis, magnetic and spectroscopic studies of Ni(II), Cu(II), Zn(II) and Cd(II) complexes of a newly Schiff base derived from 5-bromo-2-hydroxybezylidene)-3,4,5-trihydroxy benzohydrazide) Bull. Chem. Soc. Ethiop. 26(1), 95-101.*

29. *Mishra Alok and Mohabey Miss H., (2002); N-Hydroxy-N-p-Tolyl-N'-β-Naphthyl Benjamidine Hydrochloride as Gravimetric Reagent For Determinition of Copper(II) Asian J. chem ,14, 2 1099-1100.*

30. *Sharma M.C., Kohli D.V., Sharma Smita (2010); Design Synthesis and Pharmacological Evaluation of 4'-{2-[4-[3-Chloro-2-(Substituted-phenyl)-4-Oxo-azetidine-1-yl) phenyl]-benzoimidazol-1-yl Methyl}-biphenayl1-2-Carboxylic acids Der Pharmacia Sinica, 1(2) 82-94.*
31. *D. X. West and N. C. Lewis,Transition Met. Chem.,13, 277 (1988).*
32. *Parekh,A K. and Desai K.K.: Indian J. Chem.; 45B: 1072 (2006).*
33. *Bell, A.S. Triazole antifungals: Itraconazole (Sporanox), fluconazole (Diflucan), Voriconazole*
34. *(Vfend) and fosfluconazole (Prodif). In The Art of Drug Synthesis; Jonhson, D.S., Li, J.J.,.;*
35. *5.Whitesell, J.K. Comprehensive organic synthesis. In Comprehensive Organic Synthesis,Winterfeldt, E., Ed.; Pergamon: Oxford, UK, 1991; Volume 6, pp. 703–732.. 4th ed., Longman, New York, 1975, p. 1111*
36. *Vogel A.I. Revised by Jeffery G.H., Bessett J. Mondhaus. J and Denny R.C., (1997) A Textbook of Quantitative Chemical Analysis Longman, 5th Edn. 3, 7,417-444.*
37. *Sebastian Bellu; Estela Hure; Marcela Trape; Marcela Rizzotto; Emma Sutich; Mirna Sigrist; Virtudes Moreno (2003); The interaction between mercury(II) and Sulpathiazole Quim. Nova, Sao Paulo 26, 2.*
38. *Dimmock JR,Vashishta SC,Stables JP,Biological properties of semi carbezone,Eur.j.Med.Chem 2000:35:241-242.*
39. *Morgan G.T. and Kdrew H.D. (1920); J. Chem. Soc, 117, 1456.*
40. *S. Chandra, Sangeetika, and A. Rathi, "Magnetic and spectral studies on copper(II) complexes of N-O and N-S donor ligands,*
41. *Journal of Saudi Chemical Society, vol. 5, no. 2, pp. 175– 182, 2001..*
42. *L.E. Orgel, "An Introduction to Transition Metal Chemistry Ligand Field Theory", p.55, Methuen,1966.*